


E-INK Signage SPECIFICATION

MODEL: EPC1330B



APPROVED BY GENIATECH		
PREPARED BY 编写	CHECKED BY 审核	APPROVED BY 批准

Please return the original copy after approved by your company with seal and signature.
请在贵公司盖章并签字后寄回正本一份。

APPROVED BY CUSTOMER		
COMMENTS 确认意见	APPROVED BY 批准签字	COMPANY SEAL 盖章

Website: www.geniatech.com

Address: Room 02-04, 10/F, Block A, Building 8, Shenzhen International
Innovation Valley, Dashi Road, Nanshan District, Shenzhen, Guangdong, China

CONTENT

1. General Description	4
2. Product Pictures	4
3. Product Characteristics	5
4. Product Specifications	6


Revision History


VERSION	DATE	BOARD ID	PAGE	DESCRIPTION	AUTHOR
V1.0	24/1/8				

1. General Description

EPC1330B is a digital signage terminal with E-ink display, which supports Geniatech's self-developed CMS system, supports full remote control. It is built-in 3450mA lithium battery, can support 45 hours of continuous work, full metal shell design, to meet the indoor and outdoor working environment, but also to support portable mobile carry, suitable for factories, schools, class signs, supermarket signs and other applications.

2. Product Pictures





3. Product Characteristics

- Eye protection, natural light, no flicker
- Built-in CMS system, full remote control
- Built-in lithium battery with 45 hours of battery life
- Full metal housing, IP54 capable
- Support -15°C~50°C range operation

4. Product Specifications

Hardware

- Screen: 13.3" E-Ink glass screen
- Resolution: 1200*1600
- CPU: Quad-core Cortex-A35 processor
- RAM: 2G LPDDR4 memory
- ROM: 32G EMMC storage
- Connectivity: Wi-Fi(2.4GHz + 5GHz) + BT4.2 3G/4G(Optional)

Software

- OS: Android 8.1

Others

- Buttons: power
- Expansion Interface: USB-C (support OTG)
- Battery: 3450mAh lithium-ion battery
- Battery Life: 45 hours of continuous work
- Dimesions: 255*320*40mm
- Weight: ≤1Kg

Certification

- CE, FCC