


E-INK Tablet SPECIFICATION

MODEL: EPC2800B



APPROVED BY GENIATECH		
PREPARED BY 编写	CHECKED BY 审核	APPROVED BY 批准

Please return the original copy after approved by your company with seal and signature.
请在贵公司盖章并签字后寄回正本一份。

APPROVED BY CUSTOMER		
COMMENTS 确认意见	APPROVED BY 批准签字	COMPANY SEAL 盖章

Website: www.geniatech.com

Address: Room 02-04, 10/F, Block A, Building 8, Shenzhen International Innovation Valley,
Dashi Road, Nanshan District, Shenzhen, Guangdong, China.

CONTENT

1. General Description.....	4
2. Product Pictures	4
3. Product Characteristics	5
4. Product Specifications.....	5

Revision History

VERSION	DATE	BOARD ID	PAGE	DESCRIPTION	AUTHOR
V1.0	24/1/8				

1. General Description

EPC2800B is a digital signage terminal with Monochrome E-ink panel, which supports Geniatech's self-developed CMS system, supports full remote control. It supports external high-capacity battery pack, can support 15 hours of continuous work, full metal shell design, to meet the outdoor working environment, wiring-free installation, intelligent environmental protection, low-carbon eye protection. Super power saving, the product is widely used in retail malls, restaurants, subways, airports and other public areas of the information display screen.

2. Product Pictures



3. Product Characteristics

- Eye protection, natural light, no flicker
- Wiring-free installation, intelligent environmental protection
- Built-in CMS system, full remote control(Optional)
- External high-capacity battery pack
- Full metal housing
- Support -10°C~50°C range operation

4. Product Specifications

Hardware

- Screen: 28" E-Ink Monochrome Panel
- Resolution: 3840*1080
- CPU : Quad-core Cortex-A55 processor
- RAM: 2G LPDDR4 memory
- ROM: 16G EMMC storage
- Connectivity : Wi-Fi(2.4GHz + 5GHz) + BT4.0 3G/4G(Optional)

Software

- OS : Android 11

Others

- Battery: External high-capacity battery pack
- Dimesions: 709*218*38 mm
- Weight: ≤8Kg

Certification

- CE, FCC